Notice of Allowability	Application No.	Applicant(s)
	09/881,858	SUGIYAMA ET AL.
	Examiner	Art Unit
	Perez M. Angelica	2684
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed on 04/01/2005</u> .		
2. The allowed claim(s) is/are <u>1 and 3</u> .		
3. The drawings filed on <u>06/15/2005</u> are accepted by the Examiner.		
 4. ⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) □ Some* c) □ None of the: 1. ☑ Certified copies of the priority documents have been received. 2. □ Certified copies of the priority documents have been received in Application No 3. □ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. □ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. □ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) □ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) □ hereto or 2) □ to Paper No./Mail Date (b) □ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date (b) □ including indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. □ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendn	e nent/Comment
of Biological Material	9. Other	nt of Reasons for Allowance
-	- ,	

Application/Control Number: 09/881,858

Art Unit: 2684

DETAILED ACTION

Page 2

Reasons for Allowance

1. The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the previous art of record teaches of a portable telephone for executing plurality functions selected from hierarchically structured menus, the telephone comprising: plurality of execution keys for instructing execution of respective functions from the plurality of functions, wherein the number of the plurality of functions is greater than the number of the plurality of execution keys; function assigning means for assigning selected ones of the plurality functions desired to selected ones of the plurality of execution keys; display means for displaying information; five-direction jog dial movement in any of five directions, so as perform input operations relative the information displayed on the display means; and control means for causing the function assigned to the execution key to be executed in response a pressing of one of the plurality of execution keys or a movement the five-direction jog dial, wherein the plurality of execution keys is provided near the display means; and the display means is controlled by the control means to display a waiting screen showing a plurality of shortcut icons equal in number to the selected one of the plurality of execution keys and representing the respective functions assigned to the selected ones of the plurality of execution keys b the control means.

Although the previous art of record teaches of labels next to corresponding function keys, it does not teach where each **short-cut icon** is shown on the waiting screen **adjacent to a corresponding one of the plurality of execution keys**.

Art Unit: 2684

Claim 3 depends upon claim 1; therefore, the examiner gives the same reasons for allowance as stated above.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

ooller for the group of mobile stations selected to participate in the wireless p-oup call that wish to participate in the wireless poup call and that have a validated membership status.

Application/Control Number: 09/881,858

Art Unit: 2684

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angelica Perez whose telephone number is 571-272-7885. The examiner can normally be reached on 7:00 a.m. - 3:30 p.m., Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571)272-7882. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either the PAIR or Public PAIR. Status information for unpublished applications is available through the Private PAIR only. For more information about the pair system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Information regarding Patent Application Information Retrieval (PAIR) system can be found at 866-217-9197 (toll-free). Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC 2600's customer service number is 703-306-0377.

Angelica Perez

NAY MAUNG SUPERVISORY PATENT EXAMINES

Page 4

Application/Control Number: 09/881,858

Art Unit: 2684

(Examiner)

Art Unit 2684

January 21, 2005

Page 5